

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



Facility Information

RESULT: Satisfactory

Permit Number: 13-48-06087
Name of Facility: Hialeah Middle/ Loc.# 6231
Address: 6027 E 7 Avenue
City, Zip: Hialeah 33013

Type: School (more than 9 months)
Owner: M-DCSB Food and Nutrition
Person In Charge: MDCSB-Food & Nutrition Phone: (305) 226-6565
PIC Email:

Inspection Information

Purpose: Routine
Inspection Date: 3/29/2023
Correct By: Next Inspection
Re-Inspection Date: None

Number of Risk Factors (Items 1-29): 0
Number of Repeat Violations (1-57 R): 0
FacilityGrade: N/A
StopSale: No

Begin Time: 08:05 AM
End Time: 08:55 AM

Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection

FoodBorne Illness Risk Factors And Public Health Interventions

SUPERVISION

- IN** 1. Demonstration of Knowledge/Training
- IN** 2. Certified Manager/Person in charge present

EMPLOYEE HEALTH

- IN** 3. Knowledge, responsibilities and reporting
- IN** 4. Proper use of restriction and exclusion
- IN** 5. Responding to vomiting & diarrheal events

GOOD HYGIENIC PRACTICES

- IN** 6. Proper eating, tasting, drinking, or tobacco use
- IN** 7. No discharge from eyes, nose, and mouth

PREVENTING CONTAMINATION BY HANDS

- IN** 8. Hands clean & properly washed
- IN** 9. No bare hand contact with RTE food
- IN** 10. Handwashing sinks, accessible & supplies

APPROVED SOURCE

- IN** 11. Food obtained from approved source
- IN** 12. Food received at proper temperature
- IN** 13. Food in good condition, safe, & unadulterated
- NA** 14. Shellstock tags & parasite destruction

PROTECTION FROM CONTAMINATION

- IN** 15. Food separated & protected; Single-use gloves

- IN** 16. Food-contact surfaces; cleaned & sanitized

- IN** 17. Proper disposal of unsafe food

TIME/TEMPERATURE CONTROL FOR SAFETY

- IN** 18. Cooking time & temperatures
- IN** 19. Reheating procedures for hot holding
- IN** 20. Cooling time and temperature
- IN** 21. Hot holding temperatures
- IN** 22. Cold holding temperatures
- IN** 23. Date marking and disposition
- NA** 24. Time as PHC; procedures & records

CONSUMER ADVISORY

- IN** 25. Advisory for raw/undercooked food

HIGHLY SUSCEPTIBLE POPULATIONS

- IN** 26. Pasteurized foods used; No prohibited foods

ADDITIVES AND TOXIC SUBSTANCES

- IN** 27. Food additives: approved & properly used
- IN** 28. Toxic substances identified, stored, & used

APPROVED PROCEDURES

- NA** 29. Variance/specialized process/HACCP

Inspector Signature:

Client Signature:

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



Good Retail Practices

SAFE FOOD AND WATER

- IN 30. Pasteurized eggs used where required
- IN 31. Water & ice from approved source
- NA 32. Variance obtained for special processing

FOOD TEMPERATURE CONTROL

- IN 33. Proper cooling methods; adequate equipment
- IN 34. Plant food properly cooked for hot holding
- IN 35. Approved thawing methods
- IN 36. Thermometers provided & accurate

FOOD IDENTIFICATION

- IN 37. Food properly labeled; original container

PREVENTION OF FOOD CONTAMINATION

- IN 38. Insects, rodents, & animals not present
- IN 39. No Contamination (preparation, storage, display)
- IN 40. Personal cleanliness
- IN 41. Wiping cloths: properly used & stored
- NO 42. Washing fruits & vegetables

PROPER USE OF UTENSILS

- IN 43. In-use utensils: properly stored
- IN 44. Equipment & linens: stored, dried, & handled
- IN 45. Single-use/single-service articles: stored & used

- IN 46. Slash resistant/cloth gloves used properly

UTENSILS, EQUIPMENT AND VENDING

- IN 47. Food & non-food contact surfaces
- IN 48. Ware washing: installed, maintained, & used; test strips
- IN 49. Non-food contact surfaces clean

PHYSICAL FACILITIES

- IN 50. Hot & cold water available; adequate pressure
- IN 51. Plumbing installed; proper backflow devices
- IN 52. Sewage & waste water properly disposed
- IN 53. Toilet facilities: supplied, & cleaned
- IN 54. Garbage & refuse disposal
- OUT 55. Facilities installed, maintained, & clean
- IN 56. Ventilation & lighting
- IN 57. Permit; Fees; Application; Plans

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violations Comments

Violation #55. Facilities installed, maintained, & clean

At the time of this inspection, multiples floor tiles were observed loose causing water to accumulate beneath the tiles in front of the ice machine. Repair floor to prevent incidents and contamination. The problem is being reported (Order # 4315449)

At the time of this inspection, 4 of the 8-gas ovens were observed out service (Work orders: 4314473,4310555,4302594 and 4332557). Replace or repair ovens.

CODE REFERENCE: 64E-11.003(5). Floors, walls, and ceilings shall be smooth, durable, easily cleanable, and non-absorbent. Exterior areas shall be kept cleaned.

Inspector Signature:

Client Signature:

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



General Comments

At the time of this inspection, temperatures were taken with Therman Thermometer.

Handwashing sink 109F.
3 Compartment sink 119F.
Employee s restroom 100F.
Mop sink 112F.

Hot line.

Scramble eggs 156F.
French Toasts 158F.
Chicken patty 165F.

Cold Line

Milk 39F.

Cold Box

Chocolate Milk 38F.

Warmer

Ground Beef 167F.

Reach in cooler

Yellow cheese 38F.

Sanitizer was tested with QT test strips. Concentration 200ppm. Temperature 76F.

Email Address(es): ltrillas@dadeschools.net;
292939@dadeschools.net

Inspection Conducted By: Pedro Hernandez Bastidas (60752)
Inspector Contact Number: Work: (305) 623-3500 ex.
Print Client Name:
Date: 3/29/2023

Inspector Signature:

A handwritten signature in black ink, appearing to be "Pedro Hernandez Bastidas".

Client Signature:

A handwritten signature in black ink, appearing to be "Pedro Hernandez Bastidas".